

Table 4. Number of patients, mean follow-up, histological type and tumor stage of Thyroid cancer in Children and Adolescents (studies with more than 50 patients are included)

Author (references)	Year	Patients (n)	Follow up (months)	Histology PTC (%)	pT4 (%)	pN1 (%)	pM2 (%)
Schlumberger ¹⁹	1987	72	n.a.	n.a.	67	90	18
Zimmermann ²⁰	1988	68	331	100	24	90	7
LaQuaglia ²¹	1988	103	240	84	24	71	19
Dottorini ²²	1997	85	111	85	31	60	19
Vassilopoulou-Selin ²³	1998	112	112	92	38	63	28
Segald ²⁴	1998	61	n.a.	79	26	49	6
Newman ²⁵	1998	329	136	90	32	74	25
LaQuaglia ²⁶	2000	83	131	90	48	90	100
Jarzab ²⁷	2000	109	60	71	n.a.	59	16
Grigsby ²⁸	2001	56	132	95	54	60	13
Chow ²⁹	2004	60	168	82	23	45	15
Popovtzer ³⁰	2006	75	n.a.	83	n.a.	60	6
Handkiewicz ³¹	2007	235	82	82	8	40	17
Rybakov ³²	2000	330	180	94	55	62	15
Demidchik ¹²	2006	741	97	95	16	69	18

LN: Lymph Node, n.a.: Not Available, PTC: Papillary thyroid cancer